

Product Name	CAS No
Amlodipin besylate	111470-99-6
Fluconazole	86386-73-4
Itraconazole	84625-61-6
Ketoconazole	65277-42-1
Telmisaturn	144701-48-4
Montilukast	151767-02-1
Triclabendazole	68786-66-3
Albendazole	54965-21-8
Ofloxacin	82419-36-1
Atorvastatine	134523-03-8
Oxcabazapin	28721-07-5
Atanol	29122-68-7
Olanzapine	132539-06-1
Quetiapine fumarate	111-974-72-2
Metoprolol succinate	98418-47-4
Metoprolol tartrate	56392-17-7

Cis-bromo benzoate	61397-56-6
Pregabalin	148553-50-8
Zonisamide	68291-97-4
Tamsulosin HCL	106463-17-6
Tiagabine HCL	145821-59-6
Meloxicam	71125-38-7
Larnoxican	70374-39-9
Omeprazole	73590-58-6
Lansoprazole	103577-45-3
Pantoprazole Sodium	138786-67-1
Rebeprazole Sodium	117976-90-6
Allopurinol	315-30-0
Butaphosphan	17316-67-5
Chloramphenicol	56-75-7
Etodolac	41340-25-4
Mebendazole	31431-39-7

Product Name	Intermediate	CAS NO	USAGE	Molecular Formula
Albendazole	(5-(Propylthio)-1H-benzimidazol-2-yl)carbamic acid methyl ester	54965-21-8	infection of the nervous system	C ₁₂ H ₁₅ N ₃ O ₂ S
Amlodipine Besylate	Amlodipine Base	88150-47-4	high blood pressure (hypertension).	C ₂₀ H ₂₅ ClN ₂ O ₅
Fluconazole	2,4Difluoro 1H,1yl,1,2,4Triazole Acetophenone	86404-63-9	Fluconazole is used to treat vaginal yeast infections. It works by stopping the growth of common types of vaginal yeast (fungus). This medication belongs to a class of drugs called azole antifungals.	C ₁₀ H ₇ F ₂ N ₃ O
	2-CHLORO 2,4-DIFLUORO ACETOPHENONE	51336-94-8		F ₂ C ₆ H ₃ COCH ₂ Cl
Pantaprazol sodium	2-(Chloromethyl)-3,4-Dimethoxy-pyridine Hydrochloride	72830-09-2	Anti Ulcerative	C ₈ H ₁₁ Cl ₂ NO ₂
	5-Difluoromethoxy-2-[[3,4-Dimethoxy-2-Pyridinyl)Methyl]Thio]-1H-Benzimidazole	102625-64-9		C ₁₆ H ₁₅ F ₂ N ₃ O ₃ S
Triclabendazole	N-(4,5-dichloro-2-nitrophenyl)acetamide	5462-30-6	riclabendazole is used as a primary agent in the treatment of fascioliasis caused by Fasciola hepatica (sheep liver fluke) and Fasciola gigantica (giant liver fluke).	C ₈ H ₆ Cl ₂ N ₂ O ₃
	5-(2,3-dichlorophenoxy)-4-choro-2-nitrobenzenamine	118353-04-1		C ₁₂ H ₇ Cl ₃ N ₂ O ₃
	2,4-Dihydro-4-[4-[4-(4-hydroxyphenyl)-1-piperazinyl]-phenyl]-2-(1-methylpropyl)-3H-1,2,4-triazol-3-one	106461-41-0		C ₂₂ H ₂₇ N ₅ O ₂
Phenylephrine HCl	1-(3-Hydroxyphenyl)-2-(methylamino)ethanone sulfate, alpha-methylamino-m-hydroxyacetophenone sulphate	679394-62-8	Phenylephrine is a decongestant that shrinks blood vessels in the nasal passages. Dilated blood vessels can cause nasal congestion (stuffy nose). Phenylephrine is used to treat nasal and sinus congestion , or	C ₉ H ₁₁ NO ₂ .xH ₂ SO ₄

Product Name	Intermediate	CAS NO	USAGE	Molecular Formula
			congestion of the tubes that drain fluid from your inner ears, called the eustachian (yoo-STAY-shun) tubes.	
Telmisartan	N-Methyl-o-Phenylene diamine Dihydrochloride / 2-n-Propyl-4-methyl-6-(1-methylbenzimidazole-2-yl)benzimidazole	25148-68-9 / 152628-02-9	This medication is used to treat high blood pressure (hypertension). Lowering high blood pressure helps prevent strokes, heart attacks, and kidney problems. Telmisartan belongs to a class of drugs called angiotensin receptor blockers (ARBs).	C7H10N2.2(HCl) / C19H20N4
MONTELUKAST INTERMEDIATE	2-(2-[3(S)-[2-(7-Chloro 2quinoliny ethnyl)Phenyl]3-hydroxy-Propyl)phenyl-2- propanol		it is also used in certain patients to relieve allergy symptoms (eg, itchy, runny, or stuffy nose; sneezing) and to prevent asthma attacks caused by exercise. It may also be used for other conditions as determined by your doctor. Montelukast is a leukotriene receptor antagonist.	
	Methyl2-(3-(3-(2-(7-Chloro 2 quinoliny) Ethenyl) Phenyl)3(S)-Hydroxypropyl) Benzoate			
	1-(Thiomethyl)-Cyclopropane Acetic Acid			
KETOCONAZOLE INTERMEDIATE	Cis-Tosylate (or) (Cis-2-(2,4-Dichlorophenyl)-2-(1H-Imidazole-1-yl)methyl-4- (P-Toluene Sulfonyloxy)methyl-1,3-Dioxalane	134071-44-6	Ketoconazole topical is used to treat fungal infections of the skin such as athlete's foot, jock itch, ringworm, and seborrhea (dry, flaking skin). Ketoconazole topical is available as a	C21H20Cl2N2O5S
	cis-2-(Bromomethyl)-2-(2,4-dichlorophenyl)-1,3-dioxolane-4-ylmethyl benzoate	61397-56-6		C18H15BrCl2O4
	Para Methoxy Phenyl Piperazine	38869-47-5		C11H16N2O.2HCl;C11H18Cl2N2

Product Name	Intermediate	CAS NO	USAGE	Molecular Formula
	Hydrochloride		cream, gel, and as a shampoo. The shampoo is used for the treatment of dandruff.	O
	N-Acetyl-4-(4-Hydroxyphenyl) Piperazine	67914-60-7		C12H16N2O2
ITRACANAZOLE INTERMEDIATE	2,4-Dihydro-4-[4-[4-(4-hydroxyphenyl)-1-piperazinyl]phenyl]-2-(1-methylpropyl)-3H-1,2,4-triazol-3-one	106461-41-0	Itraconazole is used for the treatment of fungal infections in both HIV - and non- HIV -infected individuals. It is active against fungal infections such as aspergillosis, blastomycosis, histoplasmosis , and candidiasis, as well as fungal infection localized to the toenails and fingernails (onychomycosis).	C22H27N5O2
	Cis[2-(2,4-dichlorophenyl)-2-(1-H-1H-1,2,4-triazole 1-YL-methyl)-1,3-dioxalan-4-yl] methyl methane sulphonate	103661-14-9		C21H20Cl2N2O5S
	Cis-Bromo Benzoate (or) (Cis-2-[2,4-Dichlorophenyl]-2-Bromomethyl-4- (Benzoyloxy)Methyl-1,3-Dioxalane)	61397-56-6		C18H15BrCl2O4
	Para Methoxy Phenyl Piperazine HCL	38869-47-5		C11H16N2O.2HCl;C11H18Cl2N2O
RABEPRAZOLE INTERMEDIATE	2-[[4-(3-methoxypropoxy)-3-methylpyridin-2-yl]methylsulfanyl]-1H-benzimidazole, Rabeprazole base intermediate	117976-89-3	Aciphex (rabeprazole sodium) is a proton pump inhibitor (PPI) to reduce stomach acid and is used for the treatment of gastroesophageal reflux disease (GERD), duodenal ulcers, and used in combination with antibiotics to treat Helicobacter pylori (H. pylori) bacterial infections in the stomach.	C18H21N3O3S
	2-(Chloromethyl)-4-(3-methoxypropoxy)-3-methylpyridine hydrochloride	153259-31-5		C11H16ClNO2.HCl
	2-[[4-(3-Methoxypropoxy)-3-methylpyridine-2-yl]methylthio]-1H-benzimidazole	117977-21-6		C18H21N3O2S
	4-Chloro-2,3-dimethylpyridine1-oxide	59886-90-7		C7H8ClNO
	2-Benzimidazolethiol; Benzimidazole-2-thiol	583-39-1		C7H6N2S
ZONISAMIDE INTERMEDIATE		73101-64-1	Zonegran (zonisamide) is a sulfa drug with anti-convulsant effects.	C8H6NNaO4S
	(2-(1, 2-BENZISOXAZOLE -3 yl) ACETIC ACID)	4865-84-3		C9H7NO3

Product Name	Intermediate	CAS NO	USAGE	Molecular Formula
	4 hydroxy cuomarin	1076-38-6	Zonegran is used together with other anti-convulsant medications to treat partial seizures in adults with epilepsy. Zonegran may also be used for purposes not listed in this medication guide.	C9H6O3